

FEATURES

- » Durable Welded Metal Construction
- » Electrostatic Powder Coating
- » Wall Mounting Holes on Rear Top
- » Coat Rail with Hook in Each Section
- » Reinforced Doors with Concealed Hinges and Anti-Noise Plastic Buffers
- » Stamped Label Holder on Doors
- » Louvered Doors for Air Circulation
- » 2.000 Differs Round Head Camlock with 2 Keys
- » Key Duplicate Support
- » Masterkey Support
- » Packaging: Nylon Bag + Corrugated Carton



OPTIONAL

- » Bolting Holes on Sides to Connect Cupboards [Fixing Kit is Not Included]
- » Perforated Door Types
- » Swing Door Model
- » Coin Lock
- » Keypad Combination Lock
- » Wheel Combination Lock
- » 2.000 Differs 3 Point Round Head Camlock with 2 Keys
- » Latchlock
- » Flush Latchlock
- » 3 Point Latchlock
- » 200 mm Sloping Roof [Fixing by Bolt]
- » 100 mm Base [Fixing by Bolt]
- » 100 mm Feet [Welded or Fixing by Bolt on Request]
- » 100 mm Framed Feet [Fixing by Bolt]
- » 400 mm Bench Models [Fixing by Bolt]

STANDARD COLORS FOR THIS RANGE



- » Non-standard colors are available with price difference (extra charge)
- » Production codes are referring items completely in color Grey 7035



STANDARD				
view				
catalogue code	WRC.2(1.2).18030	WRC.4(2.2).18060	WRC.6(3.2).18090	WRC.8(4.2).180117
production code	152M0601-00036	152M0601-00037	152M0601-00038	152M0601-00039
no of door	2	4	6	8
door type	right hung	right hung	right hung	right hung
ventilation	louvered	louvered	louvered	louvered
height (mm)	1800	1800	1800	1800
width (mm)	315	600	885	1170
depth (mm)	500	500	500	500



VERSION 1				
view				
catalogue code	WRC.2(1.2).18030.V1	WRC.4(2.2).18060.V1	WRC.6(3.2).18090.V1	WRC.8(4.2).180117.V1
production code	152M0601-00040	152M0601-00041	152M0601-00042	152M0601-00043
no of door	2	4	6	8
door type	right hung	right hung	right hung	right hung
ventilation	square perforated	square perforated	square perforated	square perforated
height (mm)	1800	1800	1800	1800
width (mm)	315	600	885	1170
depth (mm)	500	500	500	500

VERSION 4				
view				
catalogue code	WRC.2(1.2).18030.V4	WRC.4(2.2).18060.V4	WRC.6(3.2).18090.V4	WRC.8(4.2).180117.V4
production code	152M0601-00044	152M0601-00045	152M0601-00046	152M0601-00047
no of door	2	4	6	8
door type	right hung	right hung	right hung	right hung
ventilation	round perforated	round perforated	round perforated	round perforated
height (mm)	1800	1800	1800	1800
width (mm)	315	600	885	1170
depth (mm)	500	500	500	500

WARDROBES & LOCKERS



WARDROBE CUPBOARDS


1/2 DOORS - 180*40 SERIES



STANDARD			
view			
catalogue code	WRC.2(1.2).18040	WRC.4(2.2).18080	WRC.6(3.2).180120
production code	152M0601-00048	152M0601-00049	152M0601-00050
no of door	2	4	6
door type	right hung	right hung	right hung
ventilation	louvered	louvered	louvered
height (mm)	1800	1800	1800
width (mm)	415	800	1185
depth (mm)	500	500	500


VERSION 1			
view			
catalogue code	WRC.2(1.2).18040.V1	WRC.4(2.2).18080.V1	WRC.6(3.2).180120.V1
production code	152M0601-00051	152M0601-00052	152M0601-00053
no of door	2	4	6
door type	right hung	right hung	right hung
ventilation	square perforated	square perforated	square perforated
height (mm)	1800	1800	1800
width (mm)	415	800	1185
depth (mm)	500	500	500



VERSION 4			
view			
catalogue code	WRC.2(1.2).18040.V4	WRC.4(2.2).18080.V4	WRC.6(3.2).180120.V4
production code	152M0601-00054	152M0601-00055	152M0601-00056
no of door	2	4	6
door type	right hung	right hung	right hung
ventilation	round perforated	round perforated	round perforated
height (mm)	1800	1800	1800
width (mm)	415	800	1185
depth (mm)	500	500	500



STANDARD				
view				
catalogue code	WRC.2(1.2).19530	WRC.4(2.2).19560	WRC.6(3.2).19590	WRC.8(4.2).195117
production code	152M0601-00057	152M0601-00058	152M0601-00059	152M0601-00060
no of door	2	4	6	8
door type	right hung	right hung	right hung	right hung
ventilation	louvered	louvered	louvered	louvered
height (mm)	1950	1950	1950	1950
width (mm)	315	600	885	1170
depth (mm)	500	500	500	500

VERSION 1				
view				
catalogue code	WRC.2(1.2).19530.V1	WRC.4(2.2).19560.V1	WRC.6(3.2).19590.V1	WRC.8(4.2).195117.V1
production code	152M0601-00061	152M0601-00062	152M0601-00063	152M0601-00064
no of door	2	4	6	8
door type	right hung	right hung	right hung	right hung
ventilation	square perforated	square perforated	square perforated	square perforated
height (mm)	1950	1950	1950	1950
width (mm)	315	600	885	1170
depth (mm)	500	500	500	500

VERSION 4				
view				
catalogue code	WRC.2(1.2).19530.V4	WRC.4(2.2).19560.V4	WRC.6(3.2).19590.V4	WRC.8(4.2).195117.V4
production code	152M0601-00065	152M0601-00066	152M0601-00067	152M0601-00068
no of door	2	4	6	8
door type	right hung	right hung	right hung	right hung
ventilation	round perforated	round perforated	round perforated	round perforated
height (mm)	1950	1950	1950	1950
width (mm)	315	600	885	1170
depth (mm)	500	500	500	500

STANDARD			
view			
catalogue code	WRC.2(1.2).19540	WRC.4(2.2).19580	WRC.6(3.2).195120
production code	152M0601-00069	152M0601-00070	152M0601-00071
no of door	2	4	6
door type	right hung	right hung	right hung
ventilation	louvered	louvered	louvered
height (mm)	1950	1950	1950
width (mm)	415	800	1185
depth (mm)	500	500	500

VERSION 1			
view			
catalogue code	WRC.2(1.2).19540.V1	WRC.4(2.2).19580.V1	WRC.6(3.2).195120.V1
production code	152M0601-00072	152M0601-00073	152M0601-00074
no of door	2	4	6
door type	right hung	right hung	right hung
ventilation	square perforated	square perforated	square perforated
height (mm)	1950	1950	1950
width (mm)	415	800	1185
depth (mm)	500	500	500

VERSION 4			
view			
catalogue code	WRC.2(1.2).19540.V4	WRC.4(2.2).19580.V4	WRC.6(3.2).195120.V4
production code	152M0601-00075	152M0601-00076	152M0601-00077
no of door	2	4	6
door type	right hung	right hung	right hung
ventilation	round perforated	round perforated	round perforated
height (mm)	1950	1950	1950
width (mm)	415	800	1185
depth (mm)	500	500	500